

Author index

- Aboul-Enein, H.Y., see Uslu, B. 127
- Aguinaga, N., see Campillo, N. 182
- Ahlström, L.-H.
—, Raab, J. and Mathiasson, L.
Application of standard addition methodology for the determination of banned azo dyes in different leather types 76
- Arrebola, F.J.
—, González-Rodríguez, M.J., Garrido Frenich, A., Marín-Juan, A. and Martínez Vidal, J.L.
Determination of halogenated solvents content in olive oil by two completely automated headspace techniques coupled to gas chromatography–mass spectrometry 60
- Arrigan, D.W.M., see Beni, V. 190
- Asthana, A., see Lamba, S. 110
- Axelsson, D.E., see Rezzi, S. 13
- Baborowski, M., see Kammer, F.v.d. 166
- Bakunin, N.V., see Beni, V. 190
- Beni, V.
—, Ogurtsov, V.I., Bakunin, N.V., Arrigan, D.W.M. and Hill, M.
Development of a portable electroanalytical system for the stripping voltammetry of metals: Determination of copper in acetic acid soil extracts 190
- Bensaid, F.F., see Stanimirova, I. 1
- Bienenmann-Ploum, M., see Haasnoot, W. 87
- Borrull, F., see Caro, E. 81
- Boto, K.G.
— and Murphy, L.J.
Modifications to the standard additions method for components at very high concentrations 36
- Bozdoğan, İ., see Kahraman, S. 201
- Buiarelli, F.
—, Cartoni, G.P., Coccioli, F., Giannetti, L., Merolle, M., Neri, B. and Terracciano, A.
Detection of boldenone and its major metabolites by liquid chromatography–tandem mass spectrometry in urine samples 116
- Campillo, N.
—, Aguinaga, N., Viñas, P., López-García, I. and Hernández-Córdoba, M.
Capillary gas chromatography with atomic emission detection for determining chlorophenols in water and soil samples 182
- Caro, E.
—, Marcé, R.M., Cormack, P.A.G., Sherrington, D.C. and Borrull, F.
Synthesis and application of an oxytetracycline imprinted polymer for the solid-phase extraction of tetracycline antibiotics 81
- Cartoni, G.P., see Buiarelli, F. 116
- Coccioli, F., see Buiarelli, F. 116
- Coichev, N., see Magdaleno, G.B. 141
- Cormack, P.A.G., see Caro, E. 81
- Daszykowski, M., see Stanimirova, I. 1
- de Souza, S.V.C.
— and Junqueira, R.G.
A procedure to assess linearity by ordinary least squares method 25
- Dogan, B., see Uslu, B. 127
- Erlandsson, B., see Forshed, J. 160
- Fan, J.-S., see Xu, F. 207
- Fenoll, J., see Pérez-Ruiz, T. 147
- Fernández-Alba, A., see Morales-Muñoz, S. 50
- Forshed, J.
—, Erlandsson, B. and Jacobsson, S.P.
Quantification of aldehyde impurities in poloxamer by ¹H NMR spectrometry 160
- Friese, K., see Kammer, F.v.d. 166
- Garrido Frenich, A., see Arrebola, F.J. 60
- Giannetti, L., see Buiarelli, F. 116
- González-Rodríguez, M.J., see Arrebola, F.J. 60
- Guillou, C., see Rezzi, S. 13
- Gupta, S.
—, Sage, A. and Singh, A.K.
Screening and confirmation of recombinant human erythropoietin and darbepoietin- α in spiked plasma samples from drug-free horses 96
- Haasnoot, W.
—, Bienenmann-Ploum, M., Lamminmäki, U., Swanenburg, M. and van Rhijn, H.
Application of a multi-sulfonamide biosensor immunoassay for the detection of sulfadiazine and sulfamethoxazole residues in broiler serum and its use as a predictor of the levels in edible tissue 87
- Héberger, K., see Rezzi, S. 13
- He, B.-H., see Xu, F. 207
- Hernández-Córdoba, M., see Campillo, N. 182
- Hill, M., see Beni, V. 190
- Hsu, W.-H., see Melwanki, M.B. 67
- Huang, C.Z., see Long, Y.J. 175
- Huang, S.-D., see Melwanki, M.B. 67
- Jacobsson, S.P., see Forshed, J. 160
- Jiang, J.-H., see Lin, L. 42
- Jorge, H.R., see Lin, L. 218
- Junqueira, R.G., see de Souza, S.V.C. 25
- Kahraman, S.
—, Önal, M., Sarikaya, Y. and Bozdoğan, İ.
Characterization of silica polymorphs in kaolins by X-ray diffraction before and after phosphoric acid digestion and thermal treatment 201
- Kammer, F.v.d.
—, Baborowski, M. and Friese, K.
Field-flow fractionation coupled to multi-angle laser light scattering detectors: Applicability and analytical benefits for the analysis of environmental colloids 166
- Lamba, S.
—, Sanghi, S.K., Asthana, A. and Shelke, M.
Rapid determination of sulfonamides in milk using micellar electrokinetic chromatography with fluorescence detection 110

Author index

- Aboul-Enein, H.Y., see Uslu, B. 127
- Aguinaga, N., see Campillo, N. 182
- Ahlström, L.-H.
—, Raab, J. and Mathiasson, L.
Application of standard addition methodology for the determination of banned azo dyes in different leather types 76
- Arrebola, F.J.
—, González-Rodríguez, M.J., Garrido Frenich, A., Marín-Juan, A. and Martínez Vidal, J.L.
Determination of halogenated solvents content in olive oil by two completely automated headspace techniques coupled to gas chromatography–mass spectrometry 60
- Arrigan, D.W.M., see Beni, V. 190
- Asthana, A., see Lamba, S. 110
- Axelsson, D.E., see Rezzi, S. 13
- Baborowski, M., see Kammer, F.v.d. 166
- Bakunin, N.V., see Beni, V. 190
- Beni, V.
—, Ogurtsov, V.I., Bakunin, N.V., Arrigan, D.W.M. and Hill, M.
Development of a portable electroanalytical system for the stripping voltammetry of metals: Determination of copper in acetic acid soil extracts 190
- Bensaid, F.F., see Stanimirova, I. 1
- Bienenmann-Ploum, M., see Haasnoot, W. 87
- Borrull, F., see Caro, E. 81
- Boto, K.G.
— and Murphy, L.J.
Modifications to the standard additions method for components at very high concentrations 36
- Bozdoğan, İ., see Kahraman, S. 201
- Buiarelli, F.
—, Cartoni, G.P., Coccioli, F., Giannetti, L., Merolle, M., Neri, B. and Terracciano, A.
Detection of boldenone and its major metabolites by liquid chromatography—tandem mass spectrometry in urine samples 116
- Campillo, N.
—, Aguinaga, N., Viñas, P., López-García, I. and Hernández-Córdoba, M.
Capillary gas chromatography with atomic emission detection for determining chlorophenols in water and soil samples 182
- Caro, E.
—, Marcé, R.M., Cormack, P.A.G., Sherrington, D.C. and Borrull, F.
Synthesis and application of an oxytetracycline imprinted polymer for the solid-phase extraction of tetracycline antibiotics 81
- Cartoni, G.P., see Buiarelli, F. 116
- Coccioli, F., see Buiarelli, F. 116
- Coichev, N., see Magdaleno, G.B. 141
- Cormack, P.A.G., see Caro, E. 81
- Daszykowski, M., see Stanimirova, I. 1
- de Souza, S.V.C.
— and Junqueira, R.G.
A procedure to assess linearity by ordinary least squares method 25
- Dogan, B., see Uslu, B. 127
- Erlandsson, B., see Forshed, J. 160
- Fan, J.-S., see Xu, F. 207
- Fenoll, J., see Pérez-Ruiz, T. 147
- Fernández-Alba, A., see Morales-Muñoz, S. 50
- Forshed, J.
—, Erlandsson, B. and Jacobsson, S.P.
Quantification of aldehyde impurities in poloxamer by ¹H NMR spectrometry 160
- Friese, K., see Kammer, F.v.d. 166
- Garrido Frenich, A., see Arrebola, F.J. 60
- Giannetti, L., see Buiarelli, F. 116
- González-Rodríguez, M.J., see Arrebola, F.J. 60
- Guillou, C., see Rezzi, S. 13
- Gupta, S.
—, Sage, A. and Singh, A.K.
Screening and confirmation of recombinant human erythropoietin and darbepoietin- α in spiked plasma samples from drug-free horses 96
- Haasnoot, W.
—, Bienenmann-Ploum, M., Lamminmäki, U., Swanenburg, M. and van Rhijn, H.
Application of a multi-sulfonamide biosensor immunoassay for the detection of sulfadiazine and sulfamethoxazole residues in broiler serum and its use as a predictor of the levels in edible tissue 87
- Héberger, K., see Rezzi, S. 13
- He, B.-H., see Xu, F. 207
- Hernández-Córdoba, M., see Campillo, N. 182
- Hill, M., see Beni, V. 190
- Hsu, W.-H., see Melwanki, M.B. 67
- Huang, C.Z., see Long, Y.J. 175
- Huang, S.-D., see Melwanki, M.B. 67
- Jacobsson, S.P., see Forshed, J. 160
- Jiang, J.-H., see Lin, L. 42
- Jorge, H.R., see Lin, L. 218
- Junqueira, R.G., see de Souza, S.V.C. 25
- Kahraman, S.
—, Önal, M., Sarikaya, Y. and Bozdoğan, İ.
Characterization of silica polymorphs in kaolins by X-ray diffraction before and after phosphoric acid digestion and thermal treatment 201
- Kammer, F.v.d.
—, Baborowski, M. and Friese, K.
Field-flow fractionation coupled to multi-angle laser light scattering detectors: Applicability and analytical benefits for the analysis of environmental colloids 166
- Lamba, S.
—, Sanghi, S.K., Asthana, A. and Shelke, M.
Rapid determination of sulfonamides in milk using micellar electrokinetic chromatography with fluorescence detection 110

- Lamminmäki, U., see Haasnoot, W. 87
- Lees, M., see Stanimirova, I. 1
- Li, Y.F., see Long, Y.J. 175
- Lin, L.
— and Jorge, H.R.
Analysis and modelling of wicking through carton liquid packaging 218
- Lin, L.
—, Lin, W.-Q., Jiang, J.-H., Zhou, Y.-P., Shen, G.-L. and Yu, R.-Q.
QSAR analysis of a series of 2-aryl(heteroaryl)-2,5-dihydropyrazolo[4,3-*c*]quinolin-3-(3*H*)-ones using piecewise hyper-sphere modeling by particle swarm optimization 42
- Lin, W.-Q., see Lin, L. 42
- Liu, C., see Zhou, Y. 152
- Liu, C.-F., see Xu, F. 207
- Long, Y.J.
—, Li, Y.F. and Huang, C.Z.
A wide dynamic range detection of biopolymer medicines with resonance light scattering and absorption radiometry 175
- López-García, I., see Campillo, N. 182
- Lu, Q., see Zhou, Y. 152
- Luque de Castro, M.D., see Morales-Muñoz, S. 50
- Luque-García, J.L., see Morales-Muñoz, S. 50
- Magdaleno, G.B.
— and Coichev, N.
Chemiluminescent determination of humic substances based on the oxidation by peroxymonosulfate 141
- Marcé, R.M., see Caro, E. 81
- Mariani, C., see Rezzi, S. 13
- Marín-Juan, A., see Arrebola, F.J. 60
- Martínez Vidal, J.L., see Arrebola, F.J. 60
- Martínez-Lozano, C., see Pérez-Ruiz, T. 147
- Massart, D.L., see Stanimirova, I. 1
- Mathiasson, L., see Ahlström, L.-H. 76
- Melwanki, M.B.
—, Hsu, W.-H. and Huang, S.-D.
Determination of clenbuterol in urine using headspace solid phase microextraction or liquid-liquid-liquid microextraction 67
- Merolle, M., see Buiarelli, F. 116
- Morales-Muñoz, S.
—, Luque-García, J.L., Ramos, M.J., Fernández-Alba, A. and Luque de Castro, M.D.
Sequential superheated liquid extraction of pesticides, pharmaceutical and personal care products with different polarity from marine sediments followed by gas chromatography mass spectrometry detection 50
- Murphy, L.J., see Boto, K.G. 36
- Neri, B., see Buiarelli, F. 116
- Ogurtsov, V.I., see Beni, V. 190
- Önal, M., see Kahraman, S. 201
- Özkan, S.A., see Uslu, B. 127
- Pérez-Ruiz, T.
—, Martínez-Lozano, C., Tomás, V. and Fenoll, J.
Chemiluminescent determination of oxalate based on its enhancing effect on the oxidation of methyl red by dichromate 147
- Raab, J., see Ahlström, L.-H. 76
- Ramos, M.J., see Morales-Muñoz, S. 50
- Reniero, F., see Rezzi, S. 13
- Rezzi, S.
—, Axelson, D.E., Héberger, K., Reniero, F., Mariani, C. and Guillou, C.
Classification of olive oils using high throughput flow ¹H NMR fingerprinting with principal component analysis, linear discriminant analysis and probabilistic neural networks 13
- Sage, A., see Gupta, S. 96
- Sanghi, S.K., see Lamba, S. 110
- Sarkaya, Y., see Kahraman, S. 201
- She, S., see Zhou, Y. 152
- Shelke, M., see Lamba, S. 110
- Shen, G.-L., see Lin, L. 42
- Sherrington, D.C., see Caro, E. 81
- Singh, A.K., see Gupta, S. 96
- Smeyers-Verbeke, J., see Stanimirova, I. 1
- Stanimirova, I.
—, Daszykowski, M., Van Gysegheem, E., Bensaid, F.F., Lees, M., Smeyers-Verbeke, J., Massart, D.L. and Vander Heyden, Y.
Chemometrical exploration of an isotopic ratio data set of acetylsalicylic acid 1
- Sun, J.-X., see Xu, F. 207
- Sun, R.-C., see Xu, F. 207
- Swanenburg, M., see Haasnoot, W. 87
- Temminghoff, E.J.M., see van der Stelt, B. 135
- Terracciano, A., see Buiarelli, F. 116
- Tomás, V., see Pérez-Ruiz, T. 147
- Uslu, B.
—, Dogan, B., Özkan, S.A. and Aboul-Enein, H.Y.
Electrochemical behavior of vardenafil on glassy carbon electrode: Determination in tablets and human serum 127
- van der Stelt, B.
—, Temminghoff, E.J.M. and van Riemsdijk, W.H.
Measurement of ion speciation in animal slurries using the Donnan Membrane Technique 135
- Van Gysegheem, E., see Stanimirova, I. 1
- van Rhijn, H., see Haasnoot, W. 87
- van Riemsdijk, W.H., see van der Stelt, B. 135
- Vander Heyden, Y., see Stanimirova, I. 1
- Viñas, P., see Campillo, N. 182
- Wang, L., see Zhou, Y. 152
- Xu, F.
—, Sun, R.-C., Sun, J.-X., Liu, C.-F., He, B.-H. and Fan, J.-S.
Determination of cell wall ferulic and *p*-coumaric acids in sugarcane bagasse 207
- Yu, R.-Q., see Lin, L. 42
- Zhou, Y.-P., see Lin, L. 42
- Zhou, Y.
—, Lu, Q., Liu, C., She, S. and Wang, L.
A novel spectrofluorimetric method for determination of lomefloxacin based on supramolecular inclusion complex between it and *p*-sulfonated calyx[4]arene 152



